

R.A.H.M. - Remote Assistance Hinowa Machines - Hinowa S.p.a. - Windows Internet Explorer

http://89.96.170.194:8088/GetInfo.aspx

Bestand Bewerken Beeld Favorieten Extra Help

Welkom bij Hinowa Nederlan... R.A.H.M. - Remote Assist...

Machine: 00923IN4G08

Get Info

History

start BLACKBERRY (E:) aanbiedingen Postvak.IN - Microsof... RE: formulier op www... R.A.H.M. - Remote A... NL 8:13

R.A.H.M. - Machine Mod.LL2312 - Windows Internet Explorer

http://89.96.170.194:8088/LL2312.aspx

Bestand Bewerken Beeld Favorieten Extra Help

Welkom bij Hinowa Nederland... R.A.H.M. - Machine Mod.... x

Pagina Extra

---

**PLATFORM LL2312** 28 novembre 2008 07.14.18

Machine: 00923IN4G08

Checking Time: 27 novembre 2008 01.26.06

**REMOTE CONTROL STATUS**

AERIAL BEL.	JOYSTICK 1 ON	ON
LANDING BEL.	JOYSTICK 1 OFF	OFF
LOCK	JOYSTICK 2 ON	ON
UNLOCK	JOYSTICK 2 OFF	OFF
BATTERY CHARGE	JOYSTICK 3 ON	ON
STOP	JOYSTICK 3 OFF	OFF
CHARGE	JOYSTICK 4 ON	ON
SELF LEVEL.	JOYSTICK 5 ON	ON
SERVICE	JOYSTICK 6 ON	ON
TRAINING ENG.	JOYSTICK 7 ON	ON
ELECTRIC ENG.	JOYSTICK 7 OFF	OFF
BASKET LEVEL	JOYSTICK 8 ON	ON
ENGINE START	JOYSTICK 8 OFF	OFF
DOWN TO GROUND	JOYSTICK 8 ON	ON

STOP 1

STOP 2

REMOTE CONTROL ON BASKET

LOAD CELL ALLARM 1

LOAD CELL ALLARM 2

# INPUT

Error Switch Stop	<input checked="" type="checkbox"/>
Error PhotoCell. Read	<input checked="" type="checkbox"/>
Error R. Aerial Movement	<input checked="" type="checkbox"/>
Error R. Under/Stop	<input checked="" type="checkbox"/>
Error Bypass Aerial Part	<input checked="" type="checkbox"/>
Error Bypass Underc.	<input checked="" type="checkbox"/>
Error Stop Emergency Underc.	<input checked="" type="checkbox"/>
Error Inclination Read	<input checked="" type="checkbox"/>

---

**INCLINATION**

-0,3°

-0,7°

0,7°

# OUTPUT

Spring Descend	<input checked="" type="checkbox"/>
3300mm up	<input checked="" type="checkbox"/>
3300mm dn	<input checked="" type="checkbox"/>
EXI Arm open	<input checked="" type="checkbox"/>

MACHINE STATUS	<input checked="" type="checkbox"/>
ENGINE RUNNING	<input checked="" type="checkbox"/>
SELECTED ENGINE	Thermal
SELECTED HEIGHT	22.5m
BATTERY ALARM	OK
STOP	Stop
SELF LEVELING FUNCTION	Not Sel.
AERIAL PART MOV. ALLOWED A	<input checked="" type="checkbox"/>

Gereed

Internet 100%

start BLACKBERRY (E) aanbiedingen Postvak IN - Micro... RE: formulier op w... R.A.H.M. - Machin... Document1 - Micro... NL 8:14

R.A.H.M. - Machine Mod.LL2312 - Windows Internet Explorer

http://89.96.170.194:8088/LL2312.aspx

Bestand Bewerken Beeld Favorieten Extra Help

Welkom bij Hinowa Nederlan... R.A.H.M. - Machine Mod....

The diagram illustrates the control interface for the machine, featuring several key components:

- INCLINATION:** A diagram showing the boom's tilt angles:  $-0,3^{\circ}$ ,  $-0,7^{\circ}$ ,  $0,7^{\circ}$ , and  $0,3^{\circ}$ .
- OUTPUT:** A central 3D model of the machine's boom and tracks, surrounded by numerous control buttons and indicators.
- Machine Status Panel:**

MACHINE STATUS	
ENGINE RUNNING	
SELECTED ENGINE	Trimec
SELECTED HEIGHT	120 kg
BATTERY ALARM	OK
SPEED	Slow
SELECTED MOVEMENTS	Not set
SELF LEVELLING FUNCTION	
AERIAL PART MOV. ALLOWED A	
AERIAL PART MOV. ALLOWED B	
UNDERC. / STAB. MOV. ALLOWED A	
UNDERC. / STAB. MOV. ALLOWED B	
SERVICE INTERVAL	
WORKING HOURS	177 h
EMERGENCY DESC. SELECTED	
- Other Indicators:**
  - Emergency Descend (Red)
  - 1 boom up / 1 boom dn
  - 2 boom up / 2 boom dn
  - 3 boom up / 3 boom dn
  - 4 boom up / 4 boom dn
  - 5 boom up / 5 boom dn
  - 6 boom up / 6 boom dn
  - 7 boom up / 7 boom dn
  - 8 boom up / 8 boom dn
  - 9 boom up / 9 boom dn
  - 10 boom up / 10 boom dn
  - 11 boom up / 11 boom dn
  - 12 boom up / 12 boom dn
  - 13 boom up / 13 boom dn
  - 14 boom up / 14 boom dn
  - 15 boom up / 15 boom dn
  - 16 boom up / 16 boom dn
  - 17 boom up / 17 boom dn
  - 18 boom up / 18 boom dn
  - 19 boom up / 19 boom dn
  - 20 boom up / 20 boom dn
  - 21 boom up / 21 boom dn
  - 22 boom up / 22 boom dn
  - 23 boom up / 23 boom dn
  - 24 boom up / 24 boom dn
  - 25 boom up / 25 boom dn
  - 26 boom up / 26 boom dn
  - 27 boom up / 27 boom dn
  - 28 boom up / 28 boom dn
  - 29 boom up / 29 boom dn
  - 30 boom up / 30 boom dn
  - 31 boom up / 31 boom dn
  - 32 boom up / 32 boom dn
  - 33 boom up / 33 boom dn
  - 34 boom up / 34 boom dn
  - 35 boom up / 35 boom dn
  - 36 boom up / 36 boom dn
  - 37 boom up / 37 boom dn
  - 38 boom up / 38 boom dn
  - 39 boom up / 39 boom dn
  - 40 boom up / 40 boom dn
  - 41 boom up / 41 boom dn
  - 42 boom up / 42 boom dn
  - 43 boom up / 43 boom dn
  - 44 boom up / 44 boom dn
  - 45 boom up / 45 boom dn
  - 46 boom up / 46 boom dn
  - 47 boom up / 47 boom dn
  - 48 boom up / 48 boom dn
  - 49 boom up / 49 boom dn
  - 50 boom up / 50 boom dn

Gereed

Internet 100%

start BLACKBERRY (E) aanbiedingen Postvak IN - Micro... RE: formulier op w... R.A.H.M. - Machin... Document1 - Micro... NL 8:15

R.A.H.M. - Machine Mod.LL2312 - Windows Internet Explorer

http://89.96.170.194:8088/ExecOp.aspx?Type=1

Bestand Bewerken Beeld Favorieten Extra Help

Welkom bij Hinowa Nederlan... R.A.H.M. - Machine Mod...

# Hinowa®

Machine: 00923IN4G08

Cancel

```
SENDING SMS
28/novembre/2008 07.16.02 - GSM Activity: OK
28/novembre/2008 07.16.04 - Set Communication Speed: OK
28/novembre/2008 07.16.04 - GSM Checking.....OK
28/novembre/2008 07.16.05 - Verbose Errors: OK
28/novembre/2008 07.16.09 - SIM READY: OK
28/novembre/2008 07.16.09 - SIM Control.....OK
28/novembre/2008 07.16.10 - Potenza Segnale....+CSQ:
17,7OK
28/novembre/2008 07.16.10 - Check Signal....SIGNAL
OK: 17,7
28/novembre/2008 07.16.12 - Setup Messaggi: OK
28/novembre/2008 07.16.13 - Preparazione: >
28/novembre/2008 07.16.14 - Messaggio in Preparazione: >
28/11/2008 7.16.36 - Waiting for machine Response...
```

Gereed

start BLACKBERRY (E) aanbiedingen Postvak IN - Micro... RE: formulier op w... R.A.H.M. - Machin... Document1 - Micro... NL 8:16

